KENYA MEDICAL SUPPLIES AUTHORITY

Commercial Street, Industrial Area P.O. Box 47715, 00100 GPO, Nairobi, Kenya



Tel: +254 20 3922000, Fax:+254 203922400 GSM +254 719 033000, +254 733 606600 Email: info@kemsa.co.ke

All Correspondence should be addressed to Chief Executive Officer

When replying please quote our ref:

KEMSA/PROC/OIT03/2022

4th November, 2022

CLARIFICATION 1

Attn: All Prospective Bidders

RE: TENDER NO. KEMSA/OIT03/2022-2024 SUPPLY OF HEALTH PRODUCTS (TOPICAL FORMULATIONS-GENERAL PHARMACEUTICALS, **OPHTHALMIC & RESPIRATORY PRODUCTS)**

The following queries were raised by interested bidders and we hereby respond as follows:

Question:

Item Name - Budesonide +Formoterol 200mcg+6mcg metered dose Inhaler (120 dose) - The specifications as per the tender appear to be limiting the scope to a particular presentation (PMDI) which may be unfair if the similar drug is offered in a better presentation, such as;

- Asthma devices can be either cited as Metered or Delivered dose. Both would be bioequivalent as per the attached letter.
- The MDI cited under technical specifications also locks out companies with innovative devices that offer better lung deposition and disease control.
- The guidance that the products be packed in 10's may favour one company's product over another, as this are factory settings that may take time to alter.

Response:

What we seek to procure is a metered dose inhaler, mist/aerosol formation.

The correct Unit of Measure is a can.

Question 2:

Item No: 9 - Budesonide, pressurized metered dose Inhaler, 200mcg/metered dose (200 dose) mentioned in the tender document. But actual product has Metered Dose of 300 MDI. Can we quote? Please clarify.





Response:

There are several MDI's in the market including 300 and 120, however what we require is: - Budesonide, pressurized metered dose Inhaler, 200mcg/metered dose (200 dose).

Kindly stick to the specification.

Yours faithfully,

JOHN KABUCHI

Ag. DIRECTOR PROCUREMENT FOR: CHIEF EXECUTIVE OFFICER