

KENYA MEDICAL SUPPLIES AUTHORITY

Commercial Street, Industrial Area
P.O. Box 47715, 00100 GPO,
Nairobi, Kenya



Tel: +254 20 3922000, Fax: +254 203922400
GSM +254 719 033000, +254 733 606600
Email: info@kemsa.co.ke

All Correspondence should be addressed to Chief Executive Officer

When replying please quote our ref:

KEMSA/PROC/OIT06/2023

6th January, 2023

CLARIFICATION 1

Attn: All Prospective Bidders

**RE: TENDER NO. KEMSA/OIT06/2022-2024 SUPPLY OF HEALTH PRODUCTS
(SODIUM HYPOCHLORITE SOLUTION 4-6% CHLORINE)**

The following queries were raised by interested bidders and we hereby respond as follows:

Question 1:

Required documents on technical evaluation (GMP certificate or market authorization issued by pharmacy and poisons board).
Please clarify if KEBS certificate is adequate for manufacturers who do not manufacture pharmaceuticals but do manufacture disinfectants and soap detergents.

Question 2:

In reference to technical evaluation, is it a must we get GMP and Pharmacy and Poisons Board certificates?

Response for Question 1 & 2:

The Evaluation criteria for sodium hypochlorite solution 4-6%chlorine under technical evaluation should be:

- a) Current, and valid Good Manufacturing Practice (GMP) issued by an independent recognized body to the manufacturer of the product. (MANDATORY).
- b) Products should be listed with Pharmacy and Poisons Board of Kenya as borderline or have a KEBS certificate of Quality (MANDATORY).
- c) Manufacturers Authorization must be on a manufacturer's letterhead and addressed to KEMSA that is both tender and item specific and signed by an authorized signatory (Applicable to bidders who are not manufacturers) (MANDATORY)

A handwritten signature in black ink, appearing to be 'R' followed by a flourish.

d) Batch specific certificate of analysis with reference to official compendia or validated inhouse method or relevant standards is provided and complies with all critical quality attributes (MANDATORY).



Dr. Justus Kinoti (Ph.D)
Ag. DIRECTOR PROCUREMENT
FOR: CHIEF EXECUTIVE OFFICER